CSS Reference

Selector	Selects
`p`	Elements with the tag `p`
`.notice`	Elements with the class `notice`
`#top`	The element with ID `top`
`p.notice`	Paragraphs that themselves have class `notice`
`*`	Every element
`h1, h2`	Elements matching either selector, without duplicates
`[href="next.html"]`	Elements whose `href` equals `next.html`

Relationships

Combinator	Relationship
`main p`	A paragraph anywhere inside `main`
`main > p`	A paragraph directly inside `main`
`h2 + p`	A paragraph immediately after an `h2`, with the same parent
`h2 ~ p`	A paragraph anywhere after an `h2`, with the same parent

Properties and conditions

Property or rule	Purpose
`color`	Text color
`background-color`	Color behind content and padding
`font-family`	Font choice, such as `sans-serif`
`font-size`	Text size
`font-weight`	Text weight, such as `bold`
`font-style`	Text style, such as `italic`
`padding`	Space between content and border
`border`	Border width, style, and color
`margin`	Space outside the border
`a:hover`	Select a link while the pointer is over it
`@media (max-width: 600px)`	Apply enclosed rules at widths of 600 CSS pixels or less
`@media (min-width: 600px)`	Apply enclosed rules at widths of 600 CSS pixels or more