

Basic Python — Practice

CSCI 40: Computing for the Web

Fall 2026

How current LLMs scored on this practice bank			2026-08-26
Model	Reasoning	Score	
claude-haiku-4.5	low effort	57/57 (100%)	
claude-sonnet-5	low effort	57/57 (100%)	
claude-fable-5	low effort	57/57 (100%)	
claude-opus-4.8	low effort	57/57 (100%)	
gpt-5.6-luna	low reasoning	36/57 (63%)	
gpt-5.4	low reasoning	57/57 (100%)	
gpt-5.6-terra	low reasoning	41/57 (72%)	
gpt-5.5	low reasoning	57/57 (100%)	
gpt-5.6-sol	low reasoning	46/57 (81%)	
gemini-3.1-flash-lite	minimal thinking	35/57 (61%)	
gemini-3.5-flash-lite	minimal thinking	51/57 (89%)	
gemini-3.6-flash	minimal thinking	43/57 (75%)	
gemini-3.7-flash	low thinking	57/57 (100%)	
One independent, tool-free prompt per question; deterministic executable ground truth.			

Quiz Topic 02: Basic Python

1 Basic Math

Note 1. You are responsible for all of the basic math operators and understanding how order of operations works. The quizzes will only test integer math that you should be able to complete easily with paper and pencil.

Problem 2. What is the output of the following python code?

```
1 x = 2 // 3
2 y = x * 4
3 z = y + 5
4 print("z=", z)
```

Problem 3. What is the output of the following python code?

```
1 x = 3 // 2
2 y = x % 4
3 z = y - 5
4 print("z=", z)
```

Problem 4. What is the output of the following python code?

```
1  x = 3 // 2 # 4
2  y = x % 4
3  z = y - 5 # 2 - 1
4  print("z=", z)
```

Problem 5. What is the output of the following python code?

```
1  print(2 * 2 ** 2 + 3 * 4 % 2)
```

Problem 6. What is the output of the following python code?

```
1  print(2 ** 2 * 2 // 3 - 4 + 2)
```

2 if statements

Note 7. You are responsible for understanding basic boolean operations (and, or, not) and comparison operators ($\geq$, $>$, $<$, $\leq$, $==$).

Problem 8. What is the output of the following python code?

```
1  x = 4%5
2  y = 4//5
3  if x == 1 or y == 1:
4      result = 0
5  else:
6      result = 1
7  print('result=', result)
```

Problem 9. What is the output of the following python code?

```
1  x = 4-5
2  y = 5-4
3  if x == 1 and y == 1:
4      result = 0
5  else:
6      result = 1
7  print('result=', result)
```

Note 10. In python, it is common to rely on "truthy" and "falsey" values rather than only the boolean values True and False.

Problem 11. What is the output of the following python code?

```
1  if '':
2      result = 0
3  else:
4      result = 1
5  print('result=', result)
```

Problem 12. What is the output of the following python code?

```
1  if 1.0:
2      result = 0
3  else:
4      result = 1
5  print('result=', result)
```

3 Loops

Note 13. You are responsible for understanding how while loops behave.

Problem 14. What is the output of the following python code?

```
1  i = 0
2  total = 0
3  while i < 5:
4      total = total + i
5      i += 1
6  print('total=', total)
```

Problem 15. What is the output of the following python code?

```
1  i = 3
2  total = 0
3  while i < 8:
4      total = total * i
5      i += 1
6  print('total=', total)
```

Problem 16. What is the output of the following python code?

```
1  i = 34567
2  total = 0
3  while i > 0:
4      total += 1
5      i //= 10
6  print('total=', total)
```

Note 17. Truthy/falsey values commonly are used within the condition of while loops in python, not just for if statements.

Problem 18. What is the output of the following python code?

```
1  i = 123
2  total = 0
3  while i:
4      total += 1
5      i //= 10
6  print('total=', total)
```

Note 19. For loops are much more common in python (and most other programming languages) because they are easier to reason about. Everything that a for loop can do, a while loop can also do. But a while loop can do things that for loops can't (like loop forever). It is considered good style to use for loops whenever possible. The hardest part about for loops is understanding the range function, which is commonly used with for loops.

Problem 20. What is the output of the following python code?

```
1 total = 0
2 for i in range(5):
3     total = total - 1
4 print('total=', total)
```

Problem 21. What is the output of the following python code?

```
1 total = 0
2 for i in range(3, 5):
3     total = total + 1
4 print('total=', total)
```

Problem 22. What is the output of the following python code?

```
1 total = 42
2 for i in range(10, 15, 1):
3     total %= i
4 print("total=", total)
```

Problem 23. What is the output of the following python code?

```
1 total = 0
2 for i in range(10, 0, -2):
3     total -= i
4 print("total=", total)
```

Note 24. Nested for loops are very common with lists. You will need to implement many nested loops in this class, and you can expect a problem with nested loops on almost every quiz for the remainder of the course.

Problem 25. What is the output of the following python code?

```
1  result = 1
2  for i in range(5):
3      if i<3:
4          result *= 1
5      else:
6          result *= (-1)
7  print('result=', result)
```

Problem 26. What is the output of the following python code?

```
1  result = 1
2  for i in range(3, 5):
3      if i<3:
4          result += 1
5      else:
6          result -= 1
7  print('result=', result)
```

Problem 27. What is the output of the following python code?

```
1  result = 1
2  for i in range(5):
3      if i <= 3:
4          result += i
5      else:
6          result += 1
7  print('result=', result)
```

Problem 28. What is the output of the following python code?

```
1  result = 1
2  for i in range(5):
3      if i > 3:
4          result += i
5      else:
6          result += 1
7  print('result=', result)
```

Problem 29. What is the output of the following python code?

```
1  total = 0
2  for i in range(10, 20, 5):
3      if i%2 == 1 or i<15:
4          total += i
5  print("total=", total)
```

Problem 30. What is the output of the following python code?

```
1  total = 0
2  for i in range(0, 10, 3):
3      if i%2 == 0 or i<5:
4          total += i
5  print("total=", total)
```

4 Lists

Note 31. A list is the most basic container type in python. For this quiz, you are responsible for how to read from a list, but not how to modify a list. You are responsible for the functions sum, min, and max; you are also responsible for understanding list slices and list indexing.

Problem 32. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  total = 0
3  total += xs[0]
4  total += xs[1]
5  total += xs[-3]
6  print('total=', total)
```

Problem 33. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  total = 0
3  total += xs[3]
4  total += xs[-1]
5  total += xs[0]
6  print('total=', total)
```

Problem 34. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  total = 0
3  total += xs[5]
4  total += xs[-5]
5  total += xs[-4]
6  print('total=', total)
```

Problem 35. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[3:5]
3  total = 0
4  total += ys[0]
5  total += ys[1]
6  total += ys[-1]
7  print('total=', total)
```

Problem 36. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[-5:-3]
3  total = 0
4  total += ys[0]
5  total += ys[1]
6  total += ys[-1]
7  print('total=', total)
```


Problem 37. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[-5:-3]
3  total = len(ys)
4  print('total=', total)
```

Problem 38. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[-5:-3]
3  total = sum(ys)
4  print('total=', total)
```

Problem 39. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[-3:-5]
3  total = sum(ys)
4  print('total=', total)
```

Problem 40. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[-3:-5:-1]
3  total = sum(ys)
4  print('total=', total)
```

Problem 41. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[:3]
3  total = sum(ys)
4  print('total=', total)
```

Problem 42. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[:3]
3  total = min(ys)
4  print('total=', total)
```

Problem 43. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[:3]
3  total = max(ys)
4  print('total=', total)
```

Problem 44. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[7:]
3  total = sum(ys)
4  print('total=', total)
```

Problem 45. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  ys = xs[-3:]
3  total = sum(ys)
4  print('total=', total)
```

Note 46. In practice, lists are almost always combined with for loops.

Problem 47. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  total = 0
3  for i in range(3):
4      total += xs[i]
5  print('total=', total)
```

Problem 48. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  total = 0
3  for i in range(3, 8, 2):
4      total += xs[i]
5  print('total=', total)
```

Problem 49. What is the output of the following python code?

```
1  xs = [1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21]
2  total = 0
3  for i in range(-3, -6, -1):
4      total += xs[i]
5  print('total=', total)
```

Problem 50. What is the output of the following python code?

```
1  xs = [1, 3, 5]
2  total = 0
3  for x in xs:
4      total += x
5  print('total=', total)
```

Problem 51. What is the output of the following python code?

```
1  xs = [1, 3, 5]
2  total = 0
3  for x in xs:
4      for i in range(3):
5          total += x*i
6  print('total=', total)
```

Problem 52. What is the output of the following python code?

```
1  xs = [1, 3, 5]
2  ys = [2, 4, 6]
3  total = 0
4  for x in xs:
5      total += x
6      for y in ys:
7          total -= x*y
8  print('total=', total)
```

Problem 53. What is the output of the following python code?

```
1  xss = [[1, 3, 5], [2, 4], [0, 1, 2, 3, 4, 5]]
2  total = 0
3  total += xss[0][0]
4  total += xss[1][1]
5  total += xss[2][2]
6  print('total=', total)
```

Problem 54. What is the output of the following python code?

```
1  xss = [[1, 3, 5], [2, 4], [0, 1, 2, 3, 4, 5]]
2  total = 0
3  total += xss[1][0]
4  total += xss[0][1]
5  total += xss[0][2]
6  print('total=', total)
```

Problem 55. What is the output of the following python code?

```
1  xss = [[1, 3, 5], [2, 4], [0, 1, 2, 3, 4, 5]]
2  total = 0
3  for xs in xss:
4      total += xs[0]
5      for x in xs:
6          total += x
7  print('total=', total)
```

Problem 56. What is the output of the following python code?

```
1 xss = [[1, 3, 5], [2, 4], [0, 1, 2, 3, 4, 5]]
2 total = 0
3 for i in range(2):
4     for j in range(len(xss[i])):
5         total += xss[i][-j]
6 print('total=', total)
```

Problem 57. What is the output of the following python code?

```
1 xss = [[1, 3, 5], [2, 4], [0, 1, 2, 3, 4, 5]]
2 total = 0
3 for i in range(2):
4     for j in range(len(xss[i])):
5         total += xss[i][-j]
6 print('total=', total)
```

5 Functions

Note 58. Functions allow you to reuse the same piece of code many times. A common acronym for good programming is DRY (don't repeat yourself), and so functions are used all the time. Like nested for loops, expected many problems in the future quizzes to involve functions.

Problem 59. What is the output of the following python code?

```
1 x = 10
2 def foo(x):
3     if x - 5:
4         return 1
5     else:
6         x += 1
7     return x
8 x += foo(4)
9 x += foo(5)
10 x += foo(6)
11 print("x=", x)
```

Problem 60. What is the output of the following python code?

```
1  x = 10
2  def foo(x):
3      x += 2
4      return x
5  x += foo(9 + 39 // 10) * 3
6  x += foo(9 + 19 // 10) * 2
7  print("x=", x)
```

Problem 61. What is the output of the following python code?

```
1  x = 10
2  def foo(x):
3      if x % 2:
4          return 1
5      x -= 1
6      return x
7  x += foo(4)
8  x += foo(5)
9  x += foo(6)
10 print("x=", x)
```

Problem 62. What is the output of the following python code?

```
1  x = 10
2  def foo(x):
3      x += 1
4      return x
5  x += foo(9 + 39 // 10) * 2
6  print("x=", x)
```

Problem 63. What is the output of the following python code?

```
1  x = 10
2  def foo(x):
3      return x * 2
4  for i in range(3):
5      x += foo(i)
6  print("x=", x)
```

Problem 64. What is the output of the following python code?

```
1  x = 10
2  def foo(x):
3      if x - 5:
4          return 1
5      else:
6          x -= 1
7          return x
8  x += foo(4)
9  x += foo(5)
10 x += foo(6)
11 print("x=", x)
```

Problem 65. What is the output of the following python code?

```
1  x = 10
2  def foo(x):
3      x += 2
4      return x
5  x += foo(9 + 39 // 10) * 3
6  x += foo(9 + 39 // 10) * 2
7  print("x=", x)
```

Problem 66. What is the output of the following python code?

```
1  def foo(x):
2      total = 0
3      while x > 0:
4          total += 1
5          x //= 10
6      return total
7  x = foo(100)
8  x += foo(1234567)
9  x += foo(3)
10 print("x=", x)
```

Problem 67. What is the output of the following python code?

```
1  def foo(x):
2      total = 0
3      while x > 0:
4          total = total + x % 10
5          x //= 10
6      return total
7  x = foo(100)
8  x += foo(1234567)
9  x += foo(3)
10 print("x=", x)
```